



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [New!](#) [more »](#)

class extension same prestore prefetch reuse

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 2 of 2 for class extension same prestore prefetch reuse class. (0.30 seconds)

[\[PDF\] Disk Striping Strategies for Large Video-on-Demand Servers](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... algorithm, which is based on an extension of elevator ... the real-time algorithm (with three priority classes) perform the ... psm, we will treat them as the same in ...

[www.comp.nus.edu.sg/~chuats/papers/acm-mm96.PDF](#) - Supplemental Result - [Similar pages](#)

[\[PDF\] ALTIVEC PEM Addressing Modes and Instruction Set Summary](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... dispatch on false dependencies and allows maximum register name reuse in heavily ...

Altivec instructions follow the illegal instruction class defined by PowerPC ...

[e-www.motorola.com/files/32bit/doc/ref_manual/ALTIVECPEM_CH4.pdf](#) - Supplemental Result - [Similar pages](#)

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)



class extension same prestore pr Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	class same exten\$5 same (prestor\$3 or prefetch\$3 or preload\$3) same reus\$3	USPAT	OR	OFF	2005/04/06 14:56
L2	19	class same exten\$5 same (prestor\$3 or prefetch\$3 or preload\$3)	USPAT	OR	OFF	2005/04/06 15:04
L3	192417	map\$4 substitut\$3 same class	USPAT	OR	OFF	2005/04/06 15:04
L4	77	map\$4 same substitut\$3 same class	USPAT	OR	OFF	2005/04/06 15:05
L5	1	map\$4 same substitut\$3 same class same java	USPAT	OR	OFF	2005/04/06 15:04
L8	9	(US-20030084120-\$ or US-20030106043-\$).did. or (US-5893118-\$ or US-6542900-\$ or US-6604140-\$ or US-6637025-\$ or US-6643652-\$ or US-6654954-\$ or US-5974428-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/04/06 15:59
L9	5	8 and download\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 16:00
L11	466	download same application same class	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 16:24
L12	109	download same application same class same server same client	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 16:24
L13	63	12 and (load\$3 same class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 16:25
L14	3	13 and (replac\$3 same class same name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 16:26
S1	0	("2003016043").PN.	USPAT; USOCR	OR	OFF	2004/08/15 13:50

S2	0	("2003016043").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/08/12 17:43
S3	1	("20030106043").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/08/12 17:44
S4	717	Java same class same extend\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/12 17:45
S5	3	((Java same class same extend\$5) same map\$4) same cache same load\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/12 17:45
S6	46	(Java same class same extend\$5) same map\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/12 19:12
S7	1	java same (class near4 load\$3) same (interpos\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/13 15:34
S8	162	java same (class near4 map\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/13 15:24
S9	94	(java same (class near4 map\$4)) and interp\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/13 15:24
S10	5	(java same (class near4 map\$4)) same interp\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/13 15:24
S11	1	java same (class same map\$4) same (interpos\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/13 15:37
S12	460	java same (class adj2 loader)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/13 15:37

S13	1	(java same (class adj2 loader)) same list\$3 same map\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/13 15:38
S14	230	java same class same load\$3 same (modif\$3 or chang\$3 or alter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/15 18:27
S15	13	java same class same load\$3 same (modif\$3 or chang\$3 or alter\$3) same map\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/15 13:53
S16	9	java same class same load\$3 same (modif\$3 or chang\$3 or alter\$3) same (class near4 exten\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 14:11
S17	3	java same (class near6 load\$3) same (class near6 (modif\$3 or chang\$3 or alter\$3 or transf\$5)) same (class near4 exten\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/15 19:14
S18	554	java same (class near6 exten\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 14:12
S19	36	java same (class near6 exten\$4) same map\$\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 19:12
S20	6	java same (class near6 exten\$4) same proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 20:32
S21	809	java same (interpos\$3 (class near4 name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 20:33
S22	147	java same (interpos\$3 (class near4 name)) same (class near4 load\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 20:33

S23	0	java same (interpos\$3 (class near4 name)) same (class near4 load\$3) same instantiat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 20:33
S24	15	java same (interpos\$3 (class near4 name)) same (class near4 load\$3) same instantiat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 20:33
S25	6	(US-6542900-\$ or US-6643652-\$ or US-6637025-\$ or US-5893118-\$). did. or (US-20030106043-\$ or US-20030084120-\$).did.	US-PGPUB; USPAT	OR	OFF	2004/08/18 10:35
S26	1	((US-6542900-\$ or US-6643652-\$ or US-6637025-\$ or US-5893118-\$). did. or (US-20030106043-\$ or US-20030084120-\$).did.) and (constant adj pool)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 10:35
S27	73	(DYNAMIC\$3 same CLASS same INTERPOS\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 11:51
S28	4	(DYNAMIC\$3 same CLASS same INTERPOS\$4) and Java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 21:44
S29	2	(map\$4 same CLASS same INTERPOS\$4) and Java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 17:50
S30	12	(java same CLASS same INTERPOS\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 18:16
S31	138	(java same CLASS same (INTERPOS\$4 or exchang\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 18:16

S32	19	(java same CLASS same (INTERPOS\$4 or exchang\$3) same load\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 18:23
S33	397331	map\$4 class\$3 same load\$3 same (class near6 instantiat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 18:25
S34	25	map\$4 same class\$3 same load\$3 same (class near6 instantiat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 18:31
S35	1	map\$4 same class\$3 same load\$3 same (class near6 instantiat\$3) same ((replac\$3 or substitut\$3) near8 name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 18:26
S36	689	map\$4 same (class\$3 near6 name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 18:31
S37	0	map\$4 same (class\$3 near6 name) and (load\$3 same calss)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 18:32
S38	0	(map\$4 same (class\$3 near6 name)) and (load\$3 same calss)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 18:32
S39	0	S36 and (load\$3 same calss)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 18:32

S40	73	(map\$4 same (class\$3 near6 name)) same (load\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 18:34
S41	769	((class\$3 near6 name)) same (load\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 18:34
S42	73	((class\$3 near6 name)) same (load\$3) same map\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 18:34
S43	84	((class\$3 near6 name)) same (load\$3) same (instantiat\$3 or activat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 18:35
S44	64	((class\$3 near6 name)) same (load\$3) same (instantiat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 18:44
S45	3576	(instantiat\$3 near6 class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 18:45
S46	7090	(load\$3 near6 class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 18:45
S47	277	(map\$4 near6 (class near6 name))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 18:45

S48	49	S45 and S46 and S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 18:46
S49	1	S45 same S46 same S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 18:46